

Discover the InTouch range

Beautiful, reliable, responsive

Discover a range of touch screens as beautiful as the crisp, sharp images they deliver. With a stylish pure flat, edge-to-edge glass surface, your users will enjoy fast and reliable touch performance using the latest 10-point multi-touch technology. Built with reliability in mind and suitable for operation 24 hours a day, 7 days a week with a 3 year warranty, they are the ideal solution for an engaging and consistent user experience.

intouchscreens.com.au











Smart & elegant designs

Turn heads and provide a deeper level of engagement with touch screens that are as beautiful as they are responsive.

Our screens will attract attention and empower your customers to discover your products and services.

Invite your audience to be in charge of how they learn.

Purpose built with high-quality, commercial-grade components and toughened glass for projects where performance, reliability and aesthetics are important.

The InTouch range offers best-in-class appearance and a proven history of reliability in the field.

Stunning features

- Pure flat bezel free design with edge-to-edge glass
- Bespoke minimalist design that allows your content to speak for itself
- Consistent design elements featured in all sizes 10" 55"
- Fast, responsive 10-point multi-touch projected capacitive technology
- Driver-free plug-and-play operation for Windows
- No touch-point-drift and no calibration required, ever
- VESA holes on rear for flexible mounting options
- Elegant rounded corners with attractive silver trim




Stylish, edge-to-edge glass



Beautiful technology

Discover a range of touch screens as beautiful as the crisp, sharp images they deliver. Enjoy fast and reliable touch performance using the latest 10 point multi-touch technology. Built with reliability in mind, and guaranteed for 3 years 24x7 operation, they are the ideal solution for an engaging and consistent user experience.

Available in 10", 15.6", 19", 21.5", 32", 43" & 55"



Portrait & landscape



Mix & Match installation of 150 In Touch screens sized 15" - 42" in portrait and landscape orientation "Screens World" - ACMI, Federation Square Melbourne



Portrait perfect


- Balanced design with all sides featuring identical edge-to-display distance
- Free of unsightly sideways manufacter logos
- Switch from landscape to portrait orientation
- Convenient VESA compatible mounting for monitor arms and wall-mounts



Delivering successful projects across all industries

Our friendly and knowledgeable team of touch screen experts are here to assist you with your project. With decades of industry experience, we can guide you from research-phase to roll-out. We are proud to have helped some Australia's leading companies and government departments with their touch screen requirements. Some of our happy customers are listed below:





Touch Screen Specifications

Models

















Name	INDT101	INDT156	INDT190	INDT215	INTS320	INTS430	INTS 550-4K
Display Resolution	1280 x 800	1920 x 1080	1280 × 1024	1920 × 1080	1920 × 1080	3840 × 2160	3840 x 2160
Brightness	350cd/m ²	300cd/m ²	250cd/m ²	250cd/m ²	450cd/m ²	350cd/m ²	350cd/m ²
Aspect Ratio	16:10	16:9	5:4	16:9	800:1	16:9	16:9
Contrast Ratio	800:1	800:1	1,000:1	1,000:1	420 Brightness	3,000:1	1,100:1
Power Consumption	15W On	15W On	20W On	23W On	68W On	90W On	160w On
	<2W Standby	<2W Standby	<2W Standby	<2W Standby	<2W Standby	<2W Standby	<4W standby
Touch Points	10 point Multi-touch Projected Capacitive	ch	and In				

Dimensions



VESA Mount (mm) Screen Weight (Kg)
Excluding mount/stand

75 x 75

3.1kg

100 x 100

100 x 100

100 x 100

13.8kg 400 x 300

20.6kg 400 x 400

942.2 (W) x 530.4 (H) 966.6 (W) x 554.8 (H) x 46.2 (D)

Screen Orientation

Accessories (optional) Accessories (included)

Desktop Stand, Wall Mount

Power Adaptor, HDMI Cable, USB Cable

Suitable for mounting in Portrait or Landscape orientation.

Screen Dimensions Excluding mount/stand (mm)

Display Size

Viewable Area (mm)

217.9 (W) x 136.6 (H) 249.8 (W) x 168.4 (H) x 29.0 (D)

344.2 (W) x 193.6 (H)

388.2 (W) × 245.5 (H) × 36.5 (D)

425.9 (W) × 350.6 (H) × 40.9 (D) 377.3 (W) x 302.1 (H)

526.0 (W) x 317.6 (H) x 40.8 (D) 477.0 (W) x 269.0 (H)

724.8 (W) × 419.2 (H) × 43.7 (D) 700.4 (W) × 394.9 (H)








21.5"











55"

400 × 400	27.9kg

Speakers	Built-in Stereo Speakers	ers				
Input	VGA & HDMI	VGA, DVI & HDMI	VGA, DVI & HDMI	VGA, DVI & HDMI	DisplayPort & HDMI	DisplayPort & HDMI
	USB Touch Interface	USB Touch Interface	USB Touch Interface	USB Touch Interface	USB Touch Interface	USB Touch Interface

Dsclaimer: All effort has been made to provide accurate information, however specifications are subject to change without notice. In Touch Screens makes no additional warranties, expressed or implied, including but not limited to any implied warranties of merchanability or fitness for a particular purpose. User is responsible for determining whether the In Touch Screens products are fit for user's particular purpose.



USB Touch Interface DisplayPort & HDMI

W: InTouchScreens.com.au
E: Sales@intouchscreens.com.au

Brookvale NSW 2100 Unit 1, 3 Green Street InTouch Screens



Discover the InTouch kiosk range

Beautiful, modular, robust

Discover our range of highly configurable kiosks, versatile to meet your unique requirements whilst maintaining their solid foundation of a field tested reliable core. Expertly designed and manufactured right here in Australia, they are as clever, robust and reliable as they are classy and elegant.













Beautiful designs

Classy soft corners, trendy tapers and elegant edge-to-edge glass. The high quality finish on our kiosk designs attract your customers to engage with your content.

Curves, tapers, edge-to-edge glass





Customise your kiosk



Modular designs

Our clever modular designs allow you to personalise your kiosk. We build in your chosen peripherals, dress them according to your branding guidelines and deliver a solution that is purpose built for your unique requirements.

Personalised for your brand




Robust steel construction

Located in high-traffic public retail locations, mine-sites, workshops, manufacturing facilities and unattended reception areas, the In Touch kiosk range is designed to stand up to tough conditions. With toughened glass screens, tamper-resistant features and the ability to bolt down when required, you can feel confident that the kiosk you install will last for years.



Key features:

- Australian designed and manufactured
- Steel construction with a durable, powder-coated finish
- Internal guide holes to bolt down when required
- Tamper-resistant features, with no exposed screws or rivets
- Commercial-grade, long-life components used throughout
- Protective toughened glass on touch screens
- Easy servicing with convenient easy-to-swap components
- Key lockable access doors and secure PC access panels





Compatibilty	Speakers	Optional Extras Sold Separately	Dimensions Kiosk Body (cm) Base Plate (cm)	Touch Technology	Input/Output	Display Display Size Orientation Resolution Aspect Ratio Brightness (typ) Contrast (typ)	Construction	Kiosk Name	
Windows 10 Driver-free Plug-and-Play	Integrated Stereo Speakers Included	Kiosk PC (or BYO) Customer Logo Thermal Receipt Printer Magnetic Card Reader RFID Reader RFID Reader Stainless Steel Keyboard Payment Terminal Barcode Scanner Custom Colour MOQ	55 (W) × 149 (H) × 21 (D) 60 (W) × 40 (D)	10 point Multi-touch Projected Capacitive	USB touch Interface -	19" Landscape 1280 x 1024 5:4 250cd/m ² 1,000:1	Australian designed and manufactured. Robust powder-coated steel construction Standard Colour Dulux New Bright White	KIO190	
ee Plug-and-Play	eakers Included	Kiosk PC (or BYO) Customer Logo Integrated Camera Thermal Label Printer Barcode Scanner Magnetic Card Reader RFID Reader Custom Colour MOQ	55 (W) x 135 (H) x 28 (D) 60 (W) x 40 (D)	ojected Capacitive	USB touch Interface - VGA & DVI video inputs	19" Landscape 1280 x 1024 5:4 250cd/m ² 1,000:1	nd manufactured. d steel construction x New Bright White	KIO190VRT	
		Kiosk PC (or BYO) Customer Logo Thermal Receipt Printer Magnetic Card Reader RFID Reader Stainless Steel Keyboard Barcode Scanner	59 (M) × 135 (H) × 28 (D) 64 (W) × 40 (D)			21.5" Landscape 1920 x 1080 16:9 250cd/m ² 1,000:1		KIO215VRT	
Windows 10 Driver-f	Optional Stereo Speakers	Kiosk PC (or BYO) Customer Logo Thermal Receipt Printer Magnetic Card Reader RFID Reader Custom Colour MOQ	32 (M) × 127 (H) × 28 (D) 37 (M) × 30 (D)	10point Multi-touch Pr	USB touch Interface - V	21.5" Portrait 1080 x 1920 9:16 250cd/m ² 1,000:1	Australian designed and manufactured. Robust powder-coated steel construction Standard Colour Dulux Mannex Black	KIO215P	
free Plug-and-Play	kers	Klosk PC (or BYO) Customer Logo Thermal Receipt Printer Magnetic Card Reader RFID Reader Custom Colour MOQ	49 (W) × 153.5 (H) × 35.5 (D) 55 (W) × 37.5 (D)	rojected Capacitive	'GA & HDMI video inputs	32" Portrait 1080 x 1920 9:16 450cd/m ² 3,000:1	d manufactured. steel construction Mannex Black	KIO320P	
		Kiosk PC (or BYO) Customer Logo Thermal Receipt Printer Magnetic Card Reader RFID Reader Custom Colour MOQ	53 (W) × 120 (H) × 28 (D) 53 (W) × 38 (D)			21.5" Landscape 1920 x 1080 16:9 250cd/m² 1,000:1		KIO215L	
		Klosk PC (or BYO) Customer Logo Thermal Receipt Printer Magnetic Card Reader RFID Reader Custom Colour MOQ	72.5 (W) × 119 (H) × 32(D) 52.5 (W) × 32 (D)			32" Landscape 1920 x 1080 16:9 450cd/m ² 3,000:1		KIO320L-SLIM	
IN AUSTRALIA	DESIGNED &	Kiosk PC (or BYO) Customer Logo Overhead Signage Panel Magnetic Card Reader RFID Reader MOQ	103 (W) × 122 (H) × 49 (D) 80 (W) × 40 (D)			42" Landscape 1920 x 1080 16:9 350cd/m ² 3,000:1		KIO420L	



Contact
P: 1300 557 219
W: InTouchScreens.com.au
E: Sales@intouchscreens.com.au