

## Discover the InTouch range

#### Beautiful, reliable, responsive

Discover a range of commercial grade touch screens that are as beautiful as the crisp, sharp images they deliver. With a stylish pure flat, edge-to-edge glass surface, your users will enjoy fast and reliable touch performance using the latest 10-point multitouch technology. Built with reliability in mind and suitable for operation 24 hours a day, 7 days a week with a 3-year warranty, our touch screens and touch screen kiosks are the ideal solution for an engaging and consistent user experience.

#### intouchscreens.com.au









#### Smart & elegant designs

Turn heads and provide a deeper level of engagement with touch screens that are as beautiful as they are responsive.

Our screens will attract attention and empower your customers to discover your products and services.


Invite your audience to be in charge of how they learn.

Purpose built with high-quality, commercial-grade components and toughened glass for projects where performance, reliability and aesthetics are important.


The InTouch range offers best-in-class appearance and a proven history of reliability in the field.

#### Stunning features

- Pure flat bezel free design with edge-to-edge glass
- Bespoke minimalist design that allows your content to speak for itself
- Consistent design elements featured in all sizes 10" 55"
- Fast, responsive 10-point multi-touch projected capacitive technology
- Driver-free plug-and-play operation for Windows
- No touch-point-drift and no calibration required, ever
- VESA holes on rear for flexible mounting options
- Elegant rounded corners with attractive silver trim




#### Stylish, edge-to-edge glass



### Less bezel, more screen

Discover a range of touch screens as beautiful as the crisp, sharp images they deliver. Enjoy fast and reliable touch performance using the latest 10 point multi-touch technology. Built with reliability in mind, and guaranteed for 3 years 24x7 operation, they are the ideal solution for an engaging and consistent user experience.

Available in 32", 43" & 55"



#### Portrait & landscape



Mix & Match installation of 150 In Touch screens sized 15" - 42" in portrait and landscape orientation 'Screens World' - ACMI, Federation Square Melbourne



#### Portrait perfect


- Balanced design with all sides featuring identical edge-to-display distance
- Free of unsightly sideways manufacter logos
- Switch from landscape to portrait orientation
- Convenient VESA compatible mounting for monitor arms and wall-mounts



# Delivering successful projects across all industries

Our friendly and knowledgeable team of touch screen experts are here to assist you with your project. With decades of industry experience, we can guide you from research-phase to roll-out. We are proud to have helped some Australia's leading companies and government departments with their touch screen requirements. Some of our happy customers are listed below:





# **Touch Screen Specifications**

#### Models















Touch Points	Display Resolution Brightness Aspect Ratio Contrast Ratio Power Consumption	Name
10 point Multi-touch Projected Capacitive	1280 x 800 350cd/m² 16:10 800:1 15W On <2W Standby	INDT101
ve ve	1920 x 1080 300cd/m² 16:9 800:1 15W On <2W Standby	INDT156
My The	1280 x 1024 250cd/m² 5:4 1,000:1 20W On <2W Standby	INDT190
	1920 x 1080 250cd/m² 16:9 1,000:1 23W On <2W Standby	INDT215
	1920 x 1080 450cd/m <sup>2</sup> 800:1 420 Brightness 68W On <2W Standby	INTS320
	3840 x 2160 350cd/m <sup>2</sup> 16:9 3,000:1 90W On <2W Standby	INTS430
	3840 x 2160 350cd/m <sup>2</sup> 16:9 1,100:1 160w On <4W standby	INTS 550-4K

# **Dimensions**



Screen Weight (Kg)
Excluding mount/stand

1.0kg

3.1kg

100 x 100

100 x 100

100 x 100

13.8kg

400 x 300

75 x 75

Viewable Area (mm)

217.9 (W) x 136.6 (H) 249.8 (W) x 168.4 (H) x 29.0 (D)

344.2 (W) x 193.6 (H)

377.3 (W) x 302.1 (H)

388.2 (W) × 245.5 (H) × 36.5 (D)

425.9 (W) × 350.6 (H) × 40.9 (D)

526.0 (W) x 317.6 (H) x 40.8 (D) 477.0 (W) x 269.0 (H)

724.8 (W) × 419.2 (H) × 43.7 (D) 700.4 (W) × 394.9 (H)

Screen Orientation

Suitable for mounting in Portrait or Landscape orientation.

VESA Mount (mm)

Screen Dimensions Excluding mount/stand (mm)

Display Size















1232 (W) × 703 (H) × 43 (D)

400 x 400	20.6kg	942.2 (W) × 530.4 (H)	46.2 (D)

1212 (W) x 682 (H)

VGA & HDMI	Built-in Stereo Speakers	Power Adaptor, HDMI Cabl Desktop Stand, Wall Mount
VGA, DVI & HDMI	eakers	Power Adaptor, HDMI Cable, USB Cable Desktop Stand, Wall Mount
VGA, DVI & HDMI		
VGA, DVI & HDMI		

	400 x 400	27.9kg

	=
0	0
0	ਰੰ
a	7
=	2
3	S
≗.	be.
- e	9
~ 5	3
la la	ω.
Πa	de
3.	5
es	ğ
0	2
=	
=	/ide
- 2	
3	CCUI
	ura
tabili	9,1
- 8	=
~	=
9	orm
=	0.1
itness	=
SSB	Š
	2
ď,	5
a	We.
Pa	é
ă	
5	gds
a	peci
Ę	
2	icatio
- PG	0
S	ons
æ	의
C	res
Ser	
- 2	흥
7	8
SB	
Po	to cl
ĕ	cha
8	ä
ē	99
ō	Ś
	È
de	0
ete	JU0
leterm	hout no
termi	out noti
terminir	out notice
termining	otice
terminir	otice. In T
termining whe	otice. In To
termining wheth	otice. In To
termining whe	otice. In T
termining wheth	otice. In Touch Sci
termining wheth	otice. In Touch Scre
termining whether the In	otice. In Touch Screer
termining whether the In To	otice. In Touch Screens
termining whether the In	otice. In Touch Screens m
termining whether the In To	otice. In Touch Screens m
termining whether the In Touch Sci	otice. In Touch Screens m
termining whether the In To	otice. In Touch Screens makes no
termining whether the In Touch Sci	otice. In Touch Screens makes no a
termining whether the In Touch Screer	otice. In Touch Screens makes no a
termining whether the In Touch Screens pro	otice. In Touch Screens makes no a
termining whether the In Touch Screens pro	otice. In Touch Screens makes no addit
termining whether the In Touch Screens produc	otice. In Touch Screens makes no additio
termining whether the In Touch Screens pro	otice. In Touch Screens makes no additional w
termining whether the In Touch Screens produc	otice. In Touch Screens makes no additional w
termining whether the In Touch Screens produc	otice. In Touch Screens makes no additional w
termining whether the In Touch Screens produc	otice. In Touch Screens makes no additional warr
termining whether the In Touch Screens produc	otice. In Touch Screens makes no additional warranties,
termining whether the In Touch Screens produc	otice. In Touch Screens makes no additional warranties, e
termining whether the In Touch Screens produc	otice. In Touch Screens makes no additional warranties, exp
termining whether the In Touch Screens products are fit for user's	otice. In Touch Screens makes no additional warranties, e
termining whether the in Touch Screens products are fit for user's p	otice. In Touch Screens makes no additional warranties, exp
termining whether the In Touch Screens products are fit for user's	otice. In Touch Screens makes no additional warranties, exp
termining whether the in Touch Screens products are fit for user's p	otice. In Touch Screens makes no additional warranties, expresse
termining whether the in Touch Screens products are fit for user's p	otice. In Touch Screens makes no additional warranties, expresse
termining whether the In Touch Screens products are fit for user's particular	otice. In Touch Screens makes no additional warranties, expressed or im
termining whether the In Touch Screens products are fit for user's particular p	otice. In Touch Screens makes no additional warranties, expresse
termining whether the In Touch Screens products are fit for user's particular p	otice. In Touch Screens makes no additional warranties, expressed or implie
termining whether the In Touch Screens products are fit for user's particular purpo	otice. In Touch Screens makes no additional warranties, expressed or implied, in
termining whether the In Touch Screens products are fit for user's particular p	otice. In Touch Screens makes no additional warranties, expressed or implied, incl
termining whether the In Touch Screens products are fit for user's particular purpo	otice. In Touch Screens makes no additional warranties, expressed or implied, includ
termining whether the In Touch Screens products are fit for user's particular purpo	otice. In Touch Screens makes no additional warranties, expressed or implied, in

USB Touch Interface VGA & HDMI

USB Touch Interface

USB Touch Interface

USB Touch Interface

USB Touch Interface DisplayPort & HDMI

DisplayPort & HDMI USB Touch Interface

**USB Touch Interface** DisplayPort & HDMI

Disclaimer: Al but not limited

Input

Speakers

Accessories (optional) Accessories (included)

Unit 1, 3 Green Street InTouch Screens



P: 1300 557 219
W: InTouchScreens.com.au
E: Sales@intouchscreens.com.au

Contact



#### Discover the InTouch kiosk range

#### Beautiful, modular, robust

Discover our range of highly configurable kiosks, versatile to meet your unique requirements whilst maintaining their solid foundation of a field tested reliable core. Expertly designed and manufactured right here in Australia, they are as clever, robust and reliable as they are classy and elegant.









#### Beautiful designs

Classy soft corners, smooth tapers and commercial edge-to-edge glass. The high quality finish on our Australian built kiosk designs attract your customers to engage with your content.

Curves, tapers, edge-to-edge glass





#### Customise your kiosk



# Modular designs

Our clever modular designs allow you to personalise your kiosk. We build in your chosen peripherals, dress them according to your branding guidelines and deliver a solution that is purpose built for your unique requirements.

Personalised for your brand




#### Robust steel construction

Located in high-traffic public retail locations, mine-sites, workshops, manufacturing facilities and unattended reception areas, the InTouch kiosk range is designed to stand up to tough conditions. With toughened glass screens, tamper-resistant features and the ability to bolt down when required, you can feel confident that the kiosk you install will last for years.



#### **Key features:**

- Australian designed and manufactured
- Steel construction with a durable, powder-coated finish
- Internal guide holes to bolt down when required
- Tamper-resistant features, with no exposed screws or rivets
- Commercial-grade, long-life components used throughout
- Protective toughened glass on touch screens
- Easy servicing with convenient easy-to-swap components
- Key lockable access doors and secure PC access panels





# **Kiosks Specifications**

Compatibilty	Optional Extras Sold Separately	Kiosk Dimensions (cm) Base Plate (cm)	Difficultions	Dimensions	Touch Technology	Input/Output	Display Display Size Orientation Resolution Aspect Ratio Brightness (typ) Contrast (typ)	Construction	Kiosk Name		Models		
Windows 10 & 11 D	Kiosk PC (or BYO)     Custom Branding     Thermal Receipt Printer     Magnetic Card Reader     Magnetic Card Reader     Stainless Steel     Keyboard     Payment Terminal     QR/Barcode Scanner     Custom Colour MOQ     Integrated Stereo     speakers included	7) 55 (W) × 149 (H) × 21 (D) 60 (W) × 40 (D)			10 point Multi-touch Projected Capacitive	USB touch Interface - \	19" Landscape 1280 x 1024 5:4 250cd/m <sup>2</sup> 1,000:1	Australian designed and manufactured. Robust powder-coated steel construction Standard Colour Dulux New Bright White	KIO190				
iver-free Plug-and-Play	Kiosk PC (or BYO) Custom Branding Thermal Label Printer QR/Barcode Scanner Magnetic Card Reader RFID Reader Custom Colour MOQ Integrated Stereo Speakers included Integrated Camera included	55 (W) x 135 (H) x 28 (D) 60 (W) x 40 (D)			ojected Capacitive	JSB touch Interface - VGA & HDMI video inputs	19" Landscape 1280 x 1024 5:4 250cd/m <sup>2</sup> 1,000:1	d manufactured. steel construction . New Bright White	KIO190VRT				
' - optional peripherals	Kiosk PC (or BVO) Custom Branding Thermal Receipt Printer Magnetic Card Reader Stainless Steel Keyboard QR/Barcode Scanner Custom Colour MOQ Integrated Stereo Speakers included Integrated Camera included	59 (W) x 135 (H) x 28 (D) 64 (W) x 40 (D)					21.5" Landscape 1920 x 1080 16:9 250cd/m² 1,000:1		KIO215VRT				
Windows 10 & 11 Driver-free Plug-and-Play - optional peripherals compatible with Windows 10 (Driver may be	Kiosk PC (or BYO)     Custom Branding     Thermal Receipt Printer     Magnetic Card Reader     QR/ Barcode Scanner     Interchangable black & white front fascias     4 x Front Panel options     Fixed & adjustable camera mounting option     EFIPOS Payment terminal bracket	38 (W) × 133 (H) × 35 (D) 38 (W) × 35 (D)			10point Multi-touch Projected Capacitive	USB touch Interface - V	21.5" Portrait 1080 x 1920 9:16 250cd/m <sup>2</sup> 1,000:1	Australian designed and manufactured. Robust powder-coated steel construction Standard Colour Dulux Mannex Black	KIO215P-SLIM	I 1			
	Kiosk PC (or BYO) Custom Branding Thermal Receipt Printer Magnetic Card Reader QR/ Barcode Scanner Interchangable black & white front fascias 4 x Front Panel options Fixed & adjustable camera mounting option EFIPOS Payment terminal bracket Integrated Stereo Speakers included	53 (W) × 117 (H) × 31 (D) 48 (W) × 31 (D)			ojected Capacitive	USB touch Interface - VGA & HDMI video inputs	21.5" Landscape 1920 x 1080 16:9 250cd/m <sup>2</sup> 1,000:1	d manufactured. steel construction Mannex Black	KIO215L-SLIM	1			
required with some peripherals)	Kiosk PC (or BYO)     Custom Branding     Thermal Receipt Printer     Magnetic Card Reader     QRV Barcode Scanner     Interchangable black & white front fascias     EFFPOS Payment terminal bracket     4 x Front Panel options     Integrated Stereo     speakers included     Fixed & adjustable camera mounting option	42 (W) x 150 (H) x 31 (D) 39 (W) x 31 (D)				HDMI & DisplayPort input	32" Portrait 1080 x 1920 9:16 430cd/m <sup>2</sup> 800:1		KIO320P-SLIM	it			
oherals)	Kiosk low profile PC     Integrated Stereo speaker included	72 (W) × 18 (H) × 40(D)				Ct t	ut	ut	32" Landscape 1920 x 1080 16:9 450cd/m² 3,000:1		KIO320-WEDGE		
	• Kiosk PC (or BYO) • Custom Branding • Thermal Receipt Printer • Magnetic Card Reader • QR/ Barcode Scanne • Custom Colour MOQ • Interchangable black & white front Fasclas • 4 x Front Panel options • EFTPOS Payment terminal bracket • Integrated Stereo speakers included	73 (W) × 119 (H) × 32(D) 53 (W) × 32 (D)					32" Landscape 1920 x 1080 16:9 450cd/m <sup>2</sup> 3,000:1		KIO320L-SLIM				
	Klosk PC (or BYO)     Custom Branding     Overhead Signage Panel     Custom Colour MOQ	97 (W) × 129 (H) × 40 (D) 67 (W) × 38 (D)					43" Landscape 3840 x 2160 16:9 430cd/m <sup>2</sup> 3,000:1		KIO430L-SLIM				
	• Klosk PC (or BYO) • Custom Branding • Custom Colour MOQ  BESIGNED & MANUFACTURED IN AUSTRALIA	56 (W) × 182 (H) × 13 (D) 65 (W) × 38 (D)					43" Portrait 2160 x 3840 9:16 430cd/m <sup>2</sup> 3,000:1		KIO430P-TOTEM				

P: 1300 557 219
W: InTouchScreens.com.au
E: Sales@intouchscreens.com.au